



Historical ICAP Tag Information

Public Document

ISO Peak					
Year	Month	Day	Hour*	Capability Yr Start	Capability Yr End
2023	September	7th	18	June 2024	May 2025
2022	August	8th	16	June 2023	May 2024
2021	June	29th	17	June 2022	May 2023
2020	July	27th	18	June 2021	May 2022
2019	July	30th	18	June 2020	May 2021
2018	August	29th	17	June 2019	May 2020
2017	June	13th	17	June 2018	May 2019
2016	August	12th	15	June 2017	May 2018
2015	July	29th	17	June 2016	May 2017
2014	July	2nd	15	June 2015	May 2016
2013	July	19th	17	June 2014	May 2015
2012	July	17th	17	June 2013	May 2014
2011	July	22nd	15	June 2012	May 2013
2010	July	6th	15	June 2011	May 2012
2009	August	18th	15	June 2010	May 2011
2008	June	10th	15	June 2009	May 2010
2007	August	3rd	15	June 2008	May 2009
2006	August	2nd	15	June 2007	May 2008
2005	July	27th	15	June 2006	May 2007
2004	August	30th	16	June 2005	May 2006

Class Average ICAP Tag (kW)						
From June	Through May	Residential (Res)	Lighting (Lgtg)	Small Comm (SCom)	Med Comm (MCom)	Large Comm (Large)
2024	2025	1.200	0.000	1.389	39.006	550.953
2023	2024	0.859	0.000	1.532	38.171	575.718
2022	2023	1.272	0.000	1.832	49.640	539.490
2021	2022	1.281	0.000	1.501	38.188	636.480
2020	2021	1.069	0.000	1.722	46.493	568.000
2019	2020	0.973	0.000	2.098	48.766	633.968
2018	2019	0.820	0.000	1.752	44.814	516.000
2017	2018	0.694	0.000	1.981	46.745	804.000
2016	2017	0.876	0.000	1.757	44.290	738.000
2015	2016	0.840	0.000	2.230	54.701	923.000
2014	2015	0.997	0.000	1.921	48.251	897.000
2013	2014	0.829	0.000	1.692	44.147	866.000
2012	2013	0.880	0.000	2.474	61.022	1,066.000
2011	2012	0.809	0.000	2.442	59.883	1,081.000
2010	2011	0.848	0.000	2.489	61.516	1,266.000
2009	2010	0.575	0.000	3.204	49.043	1,096.000
2008	2009	0.749	0.000	3.081	65.164	1,419.000
2007	2008	0.849	0.000	2.933	65.069	55.757
2006	2007	0.881	0.000	2.742	59.032	51.600
2005	2006	0.816	0.000	2.351	54.444	54.760

* Hour Ending

Class	Class Name	Settled Under
Res	residential	residential profile
Lgtg	lighting	deemed profile
SCom	small commercial	small comm profile
MCom	medium commercial	medium comm profile

New Premises For premises (metered services) not existing at the time of ISO's system peak, the average ICAP value for the class is assigned.

New Customers/I For customers moving into a premise existing at the time of ISO's system peak, the premise's associated tag is assigned.

Inactive Customer Tags of inactive customers are not included in any supplier's total ICAP responsibility.